

Pathways Additional References

Not in magazine: Fall 2017

Quality of life following surgical management of lymphedema: Evaluating important outcome measures

By Alex Munnoch

1. Brorson, H., Ohlin, K., Olsson, G., Langstrom, G., Wiklund, I., & Svensson, H. (2006). Quality of life following liposuction and conservative treatment of arm lymphedema. *Lymphology*, 39(1), 8-25.
2. Cemal, Y., Jewell, S., Albornoz, C. R., Pusic, A., & Mehrara, B. J. (2013). Systematic review of quality of life and patient reported outcomes in patients with oncologic related lower extremity lymphedema. *Lymphat Res Biol*, 11(1), 14-19.
3. Ciudad, P., Maruccia, M., Socas, J., Lee, M. H., Chung, K. P., Constantinescu, T., Chen, H. C. (2015). The laparoscopic right gastroepiploic lymph node flap transfer for upper and lower limb lymphedema: Technique and outcomes. *Microsurgery*. doi:10.1002/micr.22450
4. Cornelissen, A. J., Kool, M., Lopez Penha, T. R., Keuter, X. H., Piatkowski, A. A., Heuts, E., Qiu, S. S. (2017). Lymphatico-venous anastomosis as treatment for breast cancer-related lymphedema: a prospective study on quality of life. *Breast Cancer Res Treat*. doi:10.1007/s10549-017-4180-1
5. Devoogdt, N., De Groef, A., Hendrickx, A., Damstra, R., Christiaansen, A., Geraerts, I., Van Kampen, M. (2014). Lymphoedema Functioning, Disability and Health Questionnaire for Lower Limb Lymphoedema (Lymph-ICF-LL): reliability and validity. *Phys Ther*, 94(5), 705-721.
6. Finnane, A., Hayes, S. C., Obermair, A., & Janda, M. (2011). Quality of life of women with lower-limb lymphedema following gynecological cancer. *Expert Rev Pharmacoecon Outcomes Res*, 11(3), 287-297.
7. Gratzon, A., Schultz, J., Secrest, K., Lee, K., Feiner, J., & Klein, R. D. (2016). Clinical and Psychosocial Outcomes of Vascularized Lymph Node Transfer for the Treatment of Upper Extremity Lymphedema After Breast Cancer Therapy. *Ann Surg Oncol*, 24(6), 1475-1481.
8. Greene, A., Meskell, P. (2017). The impact of lower limb chronic oedema on patients' quality of life. *Int Wound J*, 14(3), 561-568.
9. Hoffner, M., Bagheri, S., Hansson, E., Manjer, J., Troeng, T., & Brorson, H. (2017). SF-36 Shows Increased Quality of Life Following Complete Reduction of Postmastectomy Lymphedema with Liposuction. *Lymphat Res Biol*. doi:10.1089/lrb.2016.0035
10. Huggenberger, K., Wagner, S., Lehmann, S., Aeschlimann, A., Amann-Vesti, B., & Angst, F. (2015). Health and quality of life in patients with primary and secondary lymphedema of the lower extremity. *Vasa*, 44(2), 129-137.
11. Klernas, P., Johnsson, A., Horstmann, V., Kristjanson, L. J., & Johansson, K. (2015). Lymphedema Quality of Life Inventory (LyQLI)-Development and investigation of validity and reliability. *Qual Life Res*, 24(2), 427-439.
12. Lee, T. S., Morris, C. M., Czerniec, S. A., & Mangion, A. J. (2017). Does Lymphedema Severity Affect Quality of Life? Simple Question. Challenging Answers. *Lymphat Res Biol*. doi:10.1089/lrb.2016.0049
13. Modolin, M., Mitre, A. I., da Silva, J. C., Cintra, W., Quagliano, A. P., Arap, S., & Ferreira, M. C. (2006). Surgical treatment of lymphedema of the penis and scrotum. *Clinics (Sao Paulo)*, 61(4), 289-294.
14. Patel, K. M., Lin, C. Y., & Cheng, M. H. (2015). A Prospective Evaluation of Lymphedema-Specific Quality-of-Life Outcomes Following Vascularized Lymph Node Transfer. *Ann Surg Oncol*, 22(7), 2424-2430.

15. Pusic, A. L., Cemal, Y., Albornoz, C., Klassen, A., Cano, S., Sulimanoff, I., . . . Mehrara, B. (2013). Quality of life among breast cancer patients with lymphedema: a systematic review of patient-reported outcome instruments and outcomes. *J Cancer Surviv*, 7(1), 83-92.
16. Springer, S., Koller, M., Baumeister, R. G., & Frick, A. (2011). Changes in quality of life of patients with lymphedema after lymphatic vessel transplantation. *Lymphology*, 44(2), 65-71.

The development of a new diagnostic tool: Elastography. Advancing technological innovation with ultrasound in breast cancer-related lymphedema

By Robert D. Kilgour, Hassan Rivaz and Anna Towers

1. Newman AL, Rosenthal L, Towers A, Hodgson P, Shay CA, Tidhar D, Vigano A, Kilgour RD. Determining the precision of dual energy x-ray absorptiometry and bioelectric impedance spectroscopy in the assessment of breast cancer-related lymphedema. *Lymphat Res Biol*. 2013 Jun;11(2):104-9. doi: 10.1089/lrb.2012.0020.
2. Lim CY, Seo HG, Kim K, Chung SG, Seo KS. Measurement of lymphedema using ultrasonography with the compression method. *Lymphology*. 2011 Jun;44(2):72-81.
3. Suehiro K, Morikage N, Murakami M, Yamashita O, Harada T, Ueda K, Samura M, Hamano K. A study of increase in leg volume during complex physical therapy for leg lymphedema using subcutaneous tissue ultrasonography. *J Vasc Surg Venous Lymphat Disord*. 2015 Jul;3(3):295-302. doi: 10.1016/j.jvsv.2015.02.001.
4. Rivaz H, Foroughi P, Fleming I, Zellars R, Boctor E, Hager G. Tracked regularized ultrasound elastography for targeting breast radiotherapy. *Med Image Comput Comput Assist Interv*. 2009;12(Pt 1):507-15.
5. Rivaz H, Boctor EM, Choti MA, Hager GD. Ultrasound elastography using multiple images. *Med Image Anal*. 2014 Feb;18(2):314-29. doi: 10.1016/j.media.2013.11.002.
6. Fleming IN, Kut C, Macura KJ, Su LM, Rivaz H, Schneider CM, Hamper U, Lotan T, Taylor R, Hager G, Boctor E. Ultrasound elastography as a tool for imaging guidance during prostatectomy: initial experience. *Med Sci Monit*. 2012 Nov;18(11):CR635-42.
7. Hwang JH, Lee CH, Lee HH, Kim SY. A new soft tissue volume measurement strategy using ultrasonography. *Lymphat Res Biol*. 2014 Jun;12(2):89-94. doi: 10.1089/lrb.2013.0030.
8. Devoogdt N, Pans S, De Groef A, Geraerts I, Christiaens MR, Neven P, Vergote I, Van Kampen M. Postoperative evolution of thickness and echogenicity of cutis and subcutis of patients with and without breast cancer-related lymphedema. *Lymphat Res Biol*. 2014 Mar;12(1):23-31. doi: 10.1089/lrb.2013.0028.
9. van der Veen P, Vermeiren K, Von Kemp K, Lamote J, Sacre R, Lievens P. A key to understanding postoperative lymphoedema: a study on the evolution and consistency of oedema of the arm using ultrasound imaging. *Breast*. 2001 Jun;10(3):225-30.
10. Aalamifar F, Cheng A, Kim Y, Hu X, Zhang HK, Guo X, Boctor EM. Robot-assisted automatic ultrasound calibration. *Int J Comput Assist Radiol Surg*. 2016 Oct;11(10):1821-9. doi: 10.1007/s11548-015-1341-8.
11. Kim W, Chung SG, Kim TW, Seo KS. Measurement of soft tissue compliance with pressure using ultrasonography. *Lymphology*. 2008 Dec;41(4):167-77.
12. Tsubai M, Fukuda O, Ueno N, Horie T, Muraki S. Development of an ultrasound system for measuring tissue strain of lymphedema. *Conf Proc IEEE Eng Med Biol Soc*. 2008;2008:5294-7. doi: 10.1109/IEMBS.2008.4650409.
13. Righetti R, Garra B, Mobbs LM, Kraemer-Chant CM, Ophit J, Krouskop TA. The feasibility of using poroelastographic techniques for distinguishing between normal and lymphedematous tissues in vivo. *Phys Med Biol*. 2007; 53: 6525-6541. doi: 10.1088/0031-9155/52/21/013
14. Garra BS. Imaging and estimation of tissue elasticity by ultrasound. *Ultrasound Q*. 2007 Dec;23(4):255-68.

15. Brorsson S, Nilsdotter A, Hilliges M, Sollerman C, Aurell Y. Ultrasound evaluation in combination with finger extension force measurements of the forearm musculus extensor digitorum communis in healthy subjects. *BMC Med Imaging*. 2008 Mar;8:6. doi: 10.1186/1471-2342-8-6
16. Narici M. Human skeletal muscle architecture studied in vivo by non-invasive imaging techniques: functional significance and applications. *J Electromyogr Kinesiol*. 1999 Apr;9(2):97-103.
17. Morse CI, Thom JM, Birch KM, Narici MV. Changes in triceps surae muscle architecture with sarcopenia. *Acta Physiol Scand*. 2005 Mar;183(3):291-8.
18. Strasser EM, Draskovits T, Praschak M, Quittan M, Graf A. Association between ultrasound measurements of muscle thickness, pennation angle, echogenicity and skeletal muscle strength in the elderly. *Age (Dordr)*. 2013 Dec;35(6):2377-88. doi: 10.1007/s11357-013-9517-z. Epub 2013 Mar 2. Erratum in: *Age (Dordr)*. 2013 Oct;35(5):2025-6
19. Akagi R, Takai Y, Ohta M, Kanehisa H, Kawakami Y, Fukunaga T. Muscle volume compared to cross-sectional area is more appropriate for evaluating muscle strength in young and elderly individuals. *Age Ageing*. 2009 Sep;38(5):564-9. doi: 10.1093/ageing/afp122.
20. Takeshima N, Shimada K, Islam MM, Kanehisa H, Ishida Y, Brechue WF. Progressive, Site-Specific Loss of Muscle Mass in Older, Frail Nursing Home Residents. *J Aging Phys Act*. 2015 Jul;23(3):452-9. doi: 10.1123/japa.2014-0055.
21. Tielemans AA, Vinke A, van Alfen N, van Dijk JP, Pillen S, van Engelen BG. Skeletal muscle involvement in myotonic dystrophy type 2. A comparative muscle ultrasound study. *Neuromuscul Disord*. 2012 Jun;22(6):492-9. doi: 10.1016/j.nmd.2012.01.006.
22. Campbell IT, Watt T, Withers D, England R, Sukumar S, Keegan MA, Faragher B, Martin DF. Muscle thickness, measured with ultrasound, may be an indicator of lean tissue wasting in multiple organ failure in the presence of edema. *Am J Clin Nutr*. 1995 Sep;62(3):533-9
23. Matschke V, Murphy P, Lemmey AB, Maddison P, Thom JM. Skeletal muscle properties in rheumatoid arthritis patients. *Med Sci Sports Exerc*. 2010 Dec;42(12):2149-55. doi: 10.1249/MSS.0b013e3181e304c3.
24. Rivaz H, Collins DL. Near real-time robust non-rigid registration of volumetric ultrasound images for neurosurgery. *Ultrasound Med Biol*. 2015 Feb;41(2):574-87. doi: 10.1016/j.ultrasmedbio.2014.08.013.
25. Lee D, Hwang JH, Chu I, Chang HJ, Shim YH, Kim JH. Analysis of factors related to arm weakness in patients with breast cancer-related lymphedema. *Support Care Cancer*. 2015 Aug;23(8):2297-304. doi: 10.1007/s00520-014-2584-6.
26. Gomes PR, Freitas Junior IF, da Silva CB, Gomes IC, Rocha AP, Salgado AS, do Carmo EM. Short-term changes in handgrip strength, body composition, and lymphedema induced by breast cancer surgery. *Rev Bras Ginecol Obstet*. 2014 Jun;36(6):244-50
27. Merchant CR, Chapman T, Kilbreath SL, Refshauge KM, Krupa K. Decreased muscle strength following management of breast cancer. *Disabil Rehabil*. 2008;30(15):1098-105
28. Smoot B, Wong J, Cooper B, Wanek L, Topp K, Byl N, Dodd M. Upper extremity impairments in women with or without lymphedema following breast cancer treatment. *J Cancer Surviv*. 2010 Jun;4(2):167-78. doi: 10.1007/s11764-010-0118-x.
29. Rivaz H, Boctor EM, Choti MA, Hager GD. Real-time regularized ultrasound elastography. *Medical Imaging, IEEE Transactions* 2011; 30 (4): 928–945

Lipo-lymphedema: Working collaboratively to improve a patient's life

By Edith Mulhall and Wendy Leroux

1. Fazzari, E. (2015, July/August). *www.WoundCareAdvisor.com*. Retrieved from Wound Care Advisor: http://woundcareadvisor.com/wp-content/uploads/2015/07/WCA_J-A15_Collab.pdf
2. Foldi, M. a. (2006). Lipedema. In *Foldi's Textbook of Lymphology for Physicians and Lymphedema Therapists* (pp. 418-427). Munich: Elsevier GmbH.
3. Macdonald, J. M. (2003). Lymphedema, lipedema, and the open wound: The role of compression therapy. *Surgical Clinics of North America*, 639-658.
4. Stewart, P. J. (October-December 2001). *Lymphedema and Wound Management Challenges*. Oakland: National Lymphedema Network.
5. Zuther, J. (2013). *Lymphedema Management: The Comprehensive Guide for Practitioners*. Stuttgart: Thieme.