

## PATHWAYS ADDITIONAL REFERENCES

### NOT IN MAGAZINE: Summer 2017

Nutrition for lymphedema: Promising research provides interesting food for thought.

By Jean LaMantia

#### References

1. Cancer. 2007 Oct 15;110(8):1868-74. A randomized controlled trial of weight reduction as a treatment for breast cancer-related lymphedema. Shaw C1, Mortimer P, Judd PA.
2. Cancer. 2007 May 15;109(10):1949-56. Randomized controlled trial comparing a low-fat diet with a weight-reduction diet in breast cancer-related lymphedema. Shaw C1, Mortimer P, Judd PA
3. Angiology. 1994 Aug;45(8):703-7. Dietary treatment of lymphedema by restriction of long-chain triglycerides. Soria P1, Cuesta A, Romero H, Martínez FJ, Sastre A.
4. Rev Bras Fisioter. 2008;12(1):31-6. Influence of complex decongestive physical therapy associated with intake of medium chain triglycerides for treating upper limb lymphedema. Oliveira J, César TB.

Resistance exercise with compression for women with lymphedema: A systematic review

By Mona Onazi and Margaret McNeely

#### References

1. Canadian Cancer Society's Advisory Committee on Cancer Statistics. (2016). *Canadian Cancer Statistics 2016*. Toronto, ON: Canadian Cancer Society.
2. DiSipio, T., Rye, S., Newman, B., & Hayes, S. (2013). Incidence of unilateral arm lymphoedema after breast cancer: a systematic review and meta-analysis. *The lancet oncology*, 14(6), 500-515.
3. Fu, M. R. (2014). Breast cancer-related lymphedema: Symptoms, diagnosis, risk reduction, and management. *World J Clin Oncol*, 5(3), 241-247.
4. Ridner, S. H. (2005). Quality of life and a symptom cluster associated with breast cancer treatment-related lymphedema. *Supportive Care in Cancer*, 13(11), 904-911.
5. McClure, M. K., McClure, R. J., Day, R., & Brufsky, A. M. (2010). Randomized Controlled Trial of the Breast Cancer Recovery Program for Women With Breast Cancer–Related Lymphedema. *American Journal of Occupational Therapy*, 64(1), 59-72.
6. Kim, Y. J., Jeong, H. J., & Kim, G. C. (2010). Effect of active resistive exercise on breast cancer–related lymphedema: a randomized controlled trial. *Archives of physical medicine and rehabilitation*, 91(12), 1844-1848.
7. Schmitz, K. H., Ahmed, R. L., Troxel, A. et al. (2009). Weight lifting in women with breast-cancer–related lymphedema. *New England Journal of Medicine*, 361(7), 664-673.

8. Johansson, K., Tibe, K., Weibull, A., & Newton, R. U. (2005). Low intensity resistance exercise for breast cancer patients with arm lymphedema with or without compression sleeve. *Lymphology*, 38(4), 167-180.
9. McKenzie, D. C., & Kalda, A. L. (2003). Effect of upper extremity exercise on secondary lymphedema in breast cancer patients: a pilot study. *Journal of Clinical Oncology*, 21(3), 463-466.
10. Jeffs, E., & Wiseman, T. (2013). Randomised controlled trial to determine the benefit of daily home-based exercise in addition to self-care in the management of breast cancer-related lymphoedema: a feasibility study. *Supportive Care in Cancer*, 21(4), 1013-1023.
11. Gautam, A. P., Maiya, A. G., & Vidyasagar, M. S. (2011). Effect of home-based exercise program on lymphedema and quality of life in female postmastectomy patients: pre-post intervention study. *J Rehabil Res Dev*, 48(10), 1261-1268.
12. Irdesel, J., & Çeliktaş, S. K. (2007). Effectiveness of Exercise and Compression Garments in the Treatment of Breast Cancer Related Lymphedema. *Turkish Journal of Physical Medicine & Rehabilitation/Turkiye Fiziksel Tip ve Rehabilitasyon Dergisi*, 53(1).
13. National Lymphedema Network. Position Paper on Exercise. <http://www.lymphnet.org/pdfDocs/nlnexercise.pdf>. Updated Nov 2013.

## What's different about head and neck lymphedema? Evaluation an treatment of an often-overlooked lymphedema

By Brad Smith

### References

1. <https://www.cancer.org/research/cancer-facts-statistics/all-cancer-facts-figures/cancer-facts-figures-2017.html>. Accessed 3-1-2017.
2. Büntzel J, Glatzel M, Mücke R, Micke O, Bruns F. Influence of amifostine on late radiation-toxicity in head and neck cancer—a follow-up study. *Anticancer Res* 2007;27(4A):1953-1956
3. Deng J, Ridner SH, Dietrich MS, et al. Prevalence of secondary lymphedema in patients with head and neck cancer. *J Pain Symptom Manage* 2012;43(2):244-252
4. Deng J, Ridner SH, Dietrich MS, Wells N, Murphy BA. Assessment of external lymphedema in patients with head and neck cancer: a comparison of four scales. *Oncol Nurs Forum*. 2013;40:501-506
5. Deng J, Murphy BA, Dietrich MS, . Impact of secondary lymphedema after head and neck cancer treatment on symptoms, functional status, and quality of life. *Head Neck*. 2013;35:1026-1035
6. Kubicek GJ, Wang F, Reddy E, Shnayder Y, Cabrera CE, Girod DA. Importance of treatment institution in head and neck cancer radiotherapy. *Otolaryngol Head Neck Surg* 2009;141(2):172-176
7. Lewin JS, Hutcheson KH, Smith BG, Barringer DA, Alvarez CP. Early experience with head and neck lymphedema after treatment for head and neck cancer. Poster presented at: Multidisciplinary Head and Neck Cancer Symposium; February 25-27, 2010; Chandler, AZ
8. Patterson JM, Hildreth A, Wilson JA. Measuring edema in irradiated head and neck

- cancer patients. *Ann Otol Rhinol Laryngol* 2007;116(8):559-564
9. Smith BG, Hutcheson KA, Little LG, Skoracki RJ, Rosenthal DI, Lai SY, Lewin JS. Lymphedema outcomes in patients with head and neck cancer. *Otolaryngol Head Neck Surg*. 2015 Feb;152(2):284-91.
  10. Smith BG. Head and neck lymphedema. In: Zuther J, Norton S, eds. *Lymphedema Management: The Comprehensive Guide for Practitioners*. 3rd ed. New York, NY: Thieme; 2013:191-208.
  11. Smith BG, Hutcheson KA, Little LG, . Management of lymphedema in patients with head and neck cancer. Paper presented at: American Head and Neck Society Annual Meeting; April 2013; Orlando, FL. <http://ahns.jnabstracts.com/2013/Detail.aspx?ID=143>.
  12. Smith BG, Lewin JS. Lymphedema management in head and neck cancer. *Curr Opin Otolaryngol Head Neck Surg* 2010;18(3):153-158
  13. Strossenreuther RHK, Klose G. Guidelines for the application of MLD/CDT for primary and secondary lymphedema and other selected pathologies. In: Földi M, Földi E, Kubik P. et al. eds. *Földi's Textbook of lymphology: for physicians and lymphedema therapists*. 2nd ed. Munich, Germany: Urban & Fischer; 2006:676-683
  14. Strossenreuther RHK. Practical instructions for therapists-manual lymph drainage according to Dr. E. Vodder. In: Földi M, Földi E, Kubik P. et al. eds. *Földi's Textbook of lymphology: for physicians and lymphedema therapists*. 2nd ed. Munich, Germany: Urban & Fischer; 2006:526-546