

Pathways Spring 2022

Volume 11 Issue 2



REFERENCES

The Living with Leg Lymphedema Study (page 10)

By Catharine Bowman

The author would like to acknowledge the authors of the original research publication: Catharine Bowman, Devesh Oberoi, Lori Radke, George J. Francis & Linda E. Carlson

Publication Citation

Bowman, C., Oberoi, D., Radke, L. et al. Living with leg lymphedema: developing a novel model of quality lymphedema care for cancer survivors. *J Cancer Surviv* 15, 140–150 (2021). <https://doi.org/10.1007/s11764-020-00919-2>



References

1. Bowman C, Oberoi D, Radke L, Francis GJ, Carlson LE. Living with leg lymphedema: developing a novel model of quality lymphedema care for cancer survivors. *J Cancer Surviv*. Published online 2020. doi:10.1007/s11764-020-00919-2
2. Bowman C, Piedalua KA, Baydoun M, Carlson LE. The quality of life and psychosocial implications of cancer-related lower-extremity lymphedema: A systematic review of the literature. *J Clin Med*. 2020;9(10):1-26. doi:10.3390/jcm9103200
3. Fu MR, Ridner SH, Hu SH, Stewart BR, Cormier JN, Armer JM. Psychosocial impact of lymphedema: a systematic review of literature from 2004 to 2011. *J Psychological, Soc Behav Dimens Cancer*. 2013;1484:1466-1484.
4. Eaton LH, Narkthong N, Hulett JM. Psychosocial Issues Associated with Breast Cancer-Related Lymphedema: a Literature Review. *Curr Breast Cancer Rep*. 2020;12(4):216-224. doi:10.1007/s12609-020-00376-x
5. Cornelissen AJM, Kool M, Keuter XHA, et al. Quality of Life Questionnaires in Breast Cancer-Related Lymphedema Patients: Review of the Literature. *Lymphat Res Biol*. 2018;16(2):134-139. doi:10.1089/lrb.2017.0046
6. Hormes JM, Bryan C, Lytle LA, et al. Impact of Lymphedema and Arm Symptoms on Quality of Life in Breast Cancer Survivors. *J Clin Oncol*. 2010;43:1-13.
7. Rockson SG, Rivera KK. Estimating the Population Burden of Lymphedema. *Ann New York Acad Sci*. 2008;154:147-154. doi:10.1196/annals.1413.014
8. Starritt EC, Joseph D, McKinnon JG, Lo SK, De Wilt JHW, Thompson JF. Lymphedema after complete axillary node dissection for melanoma: Assessment using a new, objective definition. *Ann Surg*. 2004;240(5):866-874. doi:10.1097/01.sla.0000143271.32568.2b
9. Cormier JN, Askew RL, Mungovan KS, Xing Y, Ross MI, Armer JM. Lymphedema beyond breast

- cancer. *Cancer*. 2010;116(22):5138-5149. doi:10.1002/cncr.25458
10. Keeley V, Crooks S, Locke J, Veigas D, Riches K, Hilliam R. A quality of life measure for limb lymphoedema (LYMQOL). *J Lymphoedema*. 2010;5(1):26-37.
 11. Cella D. FACT-G (Version 4). *Funct Assess Chronic Illn Ther*. Published online 1997.
 12. Smith AB, Wright P, Selby PJ, Velikova G. A Rasch and factor analysis of the Functional Assessment of Cancer Therapy-General (FACT-G). *Health Qual Life Outcomes*. 2007;5(19):1-10. doi:10.1186/1477-7525-5-19
 13. Spitzer R, Kroenke K, Williams J, Lowe B. A brief measure for assessing generalized anxiety disorder. *Am J Intern Med*. 2006;166:1092-1097.
 14. Kroenke K, Strine T, Spitzer R, Williams J, Berry J, Mokdad A. The PHQ-8 as a measure of current depression in the general population. *J Affect Disord*. 2009;114:163-173.
 15. Keast DH, Moffatt C, Janmohammad A. Lymphedema impact and prevalence international study: The canadian data. *Lymphat Res Biol*. 2019;17(2):178-186. doi:10.1089/lrb.2019.0014
 16. Miller BE, Pittman B, Case D, McQuellon RP. Quality of life after treatment for gynecologic malignancies: A pilot study in an outpatient clinic. *Gynecol Oncol*. 2002;87(2):178-184. doi:10.1006/gyno.2002.6812
 17. Okutsu A, Koiyabashi K. Effects of Mobile Phone Usage in Supporting Leg Lymphedema Self-care. *J Rural Med*. 2014;9(2):74-85. doi:10.2185/jrm.2884
 18. Beutel ME, Fischbeck S, Binder H, et al. Depression, anxiety and quality of life in long-term survivors of malignant melanoma: A register-based cohort study. *PLoS One*. 2015;10(1):1-12. doi:10.1371/journal.pone.0116440
 19. Löwe B, Decker O, Müller S, et al. Validation and Standardization of the Generalized Anxiety Disorder Screener (GAD-7) in the General Population. *Med Care*. 2017;46(3):266-274.
 20. Reyes-Gibby CC, Anderson KO, Morrow PK, Shete S, Hassan S. Depressive symptoms and health-related quality of life in breast cancer survivors. *J Women's Heal*. 2012;21(3):311-318. doi:10.1089/jwh.2011.2852

Comparing the effects of various scar tissue treatments on lymphedema volume (page 14)

Two cases


By Rebecca Wilkinson

References

¹ Warren, Anne G. BA, Slavin, Sumner A. MD. Scar Lymphedema Fact or Fiction? *Annals of Plastic Surgery: July 2007 - Volume 59 - Issue 1 - p 41-45*
doi: 10.1097/01.sap.0000258449.23979.3f

¹ Lu SR, Hong RB, Chou W, Hsiao PC. Role of physiotherapy and patient education in lymphedema control following breast cancer surgery. *Ther Clin Risk Manag*. 2015;11:319-327. Published 2015 Feb 25. doi:10.2147/TCRM.S77669

¹ Granzow, J.W., Soderberg, J.M., Kaji, A.H. et al. Review of Current Surgical Treatments for Lymphedema. *Ann Surg Oncol* **21**, 1195–1201 (2014). <https://doi.org/10.1245/s10434-014-3518-8>



ASK THE EXPERT:

Prospective surveillance, early identification, and intervention (page 5)

Alphonse Taghian and Cheryl Brunelle



1. Specht MC, Miller CL, Russell TA, et al. Defining a threshold for intervention in breast cancer-related lymphedema: What level of arm volume increase predicts progression? *Breast Cancer Research and Treatment*. 2013;1-10.
2. McDuff SGR, Mina AI, Brunelle CL, et al. Timing of Lymphedema After Treatment for Breast Cancer: When Are Patients Most At Risk? *Int J Radiat Oncol Biol Phys*. 2019;103(1):62-70. doi:10.1016/j.ijrobp.2018.08.036
3. Naoum GE, Roberts S, Brunelle CL, et al. Quantifying the impact of axillary surgery and nodal irradiation on breast cancer-related lymphedema and local tumor control: Long-term results from a prospective screening trial. *J Clin Oncol*. 2020;38(29):3430-3438. doi:10.1200/JCO.20.00459
4. Jammallo LS, Miller CL, Singer M, et al. Impact of body mass index and weight fluctuation on lymphedema risk in patients treated for breast cancer. *Breast Cancer Res Treat*. 2013;142(1):59-67. doi:10.1007/s10549-013-2715-7
5. Brunelle CL, Roberts SA, Horick NK, et al. Integrating Symptoms Into the Diagnostic Criteria for Breast Cancer–Related Lymphedema: Applying Results From a Prospective Surveillance Program. *Phys Ther*. 2020;100(12):2186-2197. doi:10.1093/ptj/pzaa162
6. Armer JM, Stewart BR. A comparison of four diagnostic criteria for lymphedema in a post-breast cancer population. *Lymphat Res Biol*. 2005;3(4):208-217. doi:10.1089/lrb.2005.3.208
7. Bundred N, Foden P, Todd C, et al. Increases in arm volume predict lymphoedema and quality of life deficits after axillary surgery : a prospective cohort study. *Br J Cancer*. 2020;123:17-25. doi:10.1038/s41416-020-0844-4
8. Sun F, Skolny MN, Swaroop MN, et al. The need for preoperative baseline arm measurement to accurately quantify breast cancer-related lymphedema. *Breast Cancer Res Treat*. 2016;157(2):229-240. doi:10.1007/s10549-016-3821-0
9. Brunelle C, Skolny M, Ferguson C, Swaroop M, O'Toole J, Taghian AG. Establishing and sustaining a prospective screening program for breast cancer-related lymphedema at the Massachusetts General Hospital: Lessons Learned. *J Pers Med*. 2015;5(2):153-164.

Ankle-Brachial Pressure Index or Toe Brachial Index

Maryse Beaumier

Beaumier, M., Murray, B. A., Despatis, M.-A., Patry, J., Murphy, C., Jin, S., & O'Sullivan-Drombolis, D. (2020). Best Practice Recommendations for the Prevention and Management of Peripheral Arterial Ulcers. In In: *Foundations of Best Practice for Skin and Wound Management. A supplement of Wound Care Canada.*