

## PATHWAYS ADDITIONAL REFERENCES NOT IN MAGAZINE: Spring 2012

### Clinical Perspectives

### Early Shoulder Exercises for Reducing Complications After Breast Cancer Treatment

By Dorit Tidhar

#### References

1. Lymphoedema Framework (2006) Best practice for the management of lymphoedema. International consensus. MEP, London.
2. [Ashikaga T](#), [Krag DN](#), [Land SR](#), [Julian TB](#), [Anderson SJ](#), [Brown AM](#), [Skelly JM](#), [Harlow SP](#), [Weaver DL](#), [Mamounas EP](#), [Costantino JP](#), [Wolmark N](#). Morbidity results from the NSABP B-32 trial comparing sentinel lymph node dissection versus axillary dissection. [J Surg Oncol](#). 2010 Aug 1;102(2):111-8.
3. [Cormier JN](#), [Xing Y](#), [Zaniletti I](#), [Askew RL](#), [Stewart BR](#), [Armer JM](#). Minimal limb volume change has a significant impact on breast cancer survivors. *Lymphology*. 2009; 42(4): 161–175.
4. Miedema B, Hamilton R, Tatemichi S, Thomas-Maclean R, Hack TF, Quinlan E, Towers A, Tilley A, Kwan W. [Do breast cancer survivors' post-surgery difficulties with recreational activities persist over time?](#) *J Cancer Surviv*. 2011;5(4):405-12. Epub 2011 Jul 7.
5. [Quinlan E](#), [Thomas-MacLean R](#), [Hack T](#), [Kwan W](#), [Miedema B](#), [Tatemichi S](#), [Towers A](#), [Tilley A](#). The impact of breast cancer among Canadian women: disability and productivity. [Work](#). 2009;34(3):285-96.
6. [Lee TS](#), [Kilbreath SL](#), [Sullivan G](#), [Refshauge KM](#), [Beith JM](#). The development of an arm activity survey for breast cancer survivors using the Protection Motivation Theory. [BMC Cancer](#). 2007;7:75.
7. [Shamley DR](#), [Barker K](#), [Simonite V](#), [Beardshaw A](#). Delayed versus immediate exercises following surgery for breast cancer: a systematic review. [Breast Cancer Res Treat](#). 2005;90(3):263-71.
8. Box RC, Reul-Hirche HM, Bullock-Saxton JE (2002) Shoulder movement after breast cancer surgery: results of a randomized controlled study of postoperative physiotherapy. *Breast Cancer Res Treat* 75:35–50. doi:10.1023/A:1016571204924
9. McNeely ML, Campbell K, Ospina M, Rowe BH, Dabbs K, Klassen TP, Mackey J, Courneya K. Exercise interventions for upper-limb dysfunction due to breast cancer. [Cochrane Database Syst Rev](#). 2010 Jun 16;(6):CD005211.
10. Todd J, Scally A, Dodwell D, Horgaan K, Topping A. A randomised controlled trial of two programmes of shoulder exercise following axillary lymph node dissection for invasive breast cancer. *Physiotherapy*. 2008;94:265-73
11. Lacomba MT. Effectiveness of early physiotherapy to prevent lymphoedema after surgery for breast cancer: randomised, single blinded, clinical trial. *BMJ* 2010;340:b5396 doi:10.1136/bmj.b5396

